

Scan results for **renord.com**

Non-compliant

renord.com has some significant accessibility issues. Make your website accessible and mitigate legal risk now.

Wed May 21, 2025



It's seems like your website isn't inclusive or accessible to people with disabilities.

500

We found 500 issues on your page

Issue severity



Issues detected by category

392 Readability

8 Graphics

0 Forms

0 Tables

78 Clickables

3 Orientation

0 Document


0 General

19 Titles

0 Menus

0 Carousels

Detected issues by type



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	35	16	69

Code snapshots of successful elements

1 `<a class="dropdown-toggle ml-md-3" role="button" data-toggle="dropdown" href="#">Azienda</a>`

2 `<button type="submit" class="btn btn-primary btn-block"><span id="hs-results" class="badge badge-light text-primary">2009</span> Risultati</button>`

3 `<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" style="left: -32px;"></span>`

4 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active-prev" tabindex="0" role="button" aria-label="Go to slide 2" style="left: -32px;"></span>`

5 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active swiper-pagination-bullet-active-main" tabindex="0" role="button" aria-label="Go to slide 3" style="left: -32px;"></span>`

6 `<div class="swiper-button-next v-middle" tabindex="0" role="button" aria-label="Next slide" aria-controls="swiper-wrapper-c36a2242dcb103a6" aria-disabled="false"></div>`

7 `<a class="btn btn-primary btn-lg dropdown-toggle d-block my-1" href="#" role="button" id="promoLinks" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false"> VEDI TUTTE LE PROMO <...`

8 `<button class="btnSx btn-primary"><i class="fal fa-arrow-circle-left"></i></button>`

9 `<button class="btnDx btn-primary "><i class="fal fa-arrow-circle-right"></i></button>`

10 `<button class="buttonShowroom styleButtonNav search-button buttonActive">Showroom</button>`

Code snapshots of failed elements

- 1

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Nuovo</a>
```
- 2

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Usato</a>
```
- 3

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Ibride ed Elettriche</a>
```
- 4

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Promozioni</a>
```
- 5

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Veicoli Commerciali</a>
```
- 6

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Noleggiao</a>
```
- 7

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Assistenza</a>
```
- 8

```
<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Contatti</a>
```
- 9

```
<button type="button" tabindex="-1" class="btn dropdown-toggle btn-light bs-placeholder" data-toggle="dropdown" role="combobox" aria-owns="bs-select-1" aria-haspopup="listbox" aria-expanded="false" data-id="category" title="Autore"><div class="filter-o...
```
- 10

```
<button type="button" tabindex="-1" class="btn dropdown-toggle btn-light bs-placeholder" data-toggle="dropdown" role="combobox" aria-owns="bs-select-2" aria-haspopup="listbox" aria-expanded="false" data-id="brand" title="Marca"><div class="filter-opt...
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	32	18	64

Code snapshots of successful elements

1 `<a class="dropdown-toggle ml-md-3" role="button" data-toggle="dropdown" href="#" >Azienda</a>`

2 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nuovo</a>`

3 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Usato</a>`

4 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Ibrid ed Elettriche</a>`

5 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Promoz ioni</a>`

6 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Veicol i Commerciali</a>`

7 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nolegg io</a>`

8 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Assist enza</a>`

```
9 <a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Contatti</a>
```

```
10 <button type="button" tabindex="-1" class="btn dropdown-toggle btn-light bs-placeholder" data-toggle="dropdown" role="combobox" aria-owns="bs-select-1" aria-haspopup="listbox" aria-expanded="false" data-id="category" title="Auto" ><div class="filter-...
```

Code snapshots of failed elements

```
1 <button class="btnSx btn-primary" ><i class="fal fa-arrow-circle-left"></i></button>
```

```
2 <button class="btnDx btn-primary " ><i class="fal fa-arrow-circle-right"></i></button>
```

```
3 <svg width="18" height="15" viewBox="0 0 18 15" fill="none" xmlns="http://www.w3.org/2000/svg"> <path fill-rule="evenodd" clip-rule="evenodd" d="M9.65875 0.821899V13.0736L17.2182 6.94777L9.65875 0.821899Z" fill="curr...
```

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	110	16	87

Code snapshots of successful elements

```
1 <a href="tel:+39 02 248801" class="mr-2" rel="nofollow" ><i class="fas fa-fw fa-phone"></i> <span class="d-none d-lg-inline-block mt-1">02 248801</span> </a>
```

```
2 <a class="navbar-brand" href="/" >  
```

```
3 <a href="/sedi/" class="allineamentoBtnSedi" > <button type="submit" class="btn btn-primary btnSedi h-100" ><i class="far fa-map-marker-alt"></i>&nbsp;p;&nbsp;Sedi</button> </a>
```

```
4 <a href="/ricerca-auto/nuove/" class="btn btn-primary" target="_self" >Scopri di più <i class="far fa-arrow-right"></i></a>
```

```
5 <a href="https://www.renord.com/ricerca-auto/usate/" class="btn btn-primary" target="_self" >Scopri di più <i class="far fa-arrow-right"></i></a>
```

```
6 <a href="/noleggio-per-aziende/" class="btn btn-primary" target="_self" >Scopri di più <i class="far fa-arrow-right"></i></a>
```

```
7 <a href="/landings/promozione-2-ruote-accessori/" target="_self" > <span class="slide-image"> <picture> <!--[if IE 9]><video style="display: none;"><![endif]...>
```

```
8 <a href="/landings/noleggio-traffic-9-posti/" target="_self" > <span class="slide-image"> <picture> <!--[if IE 9]><video style="display: none;"><![endif]...>
```

```
9 <a href="/incentivi-auto/" target="_self" > <span class="slide-image"> <picture> <!--[if IE 9]><video style="display: none;"><![endif]--> ...>
```

10 `<a href="/renault/" ></a>`

Code snapshots of failed elements

1 `<a href="/renault/promozioni/promozioni-gamma/renault-captur/" class="tile-link" ></a>`

2 `<a href="/renault/promozioni/promozioni-gamma/renault-clio/" class="tile-link" ></a>`

3 `<a href="/renault/promozioni/promozioni-gamma/renault-austral/" class="tile-link" ></a>`

4 `<a href="/renault/promozioni/promozioni-gamma/renault-symbioz/" class="tile-link" ></a>`

5 `<a href="/renault/promozioni/promozioni-gamma/renault-5/" class="tile-link" ></a>`

6 `<a href="/dacia/promozioni/promozioni-gamma/dacia-duster/" class="tile-link" ></a>`

7 `<a href="/dacia/promozioni/promozioni-gamma/dacia-sandero/" class="tile-link" ></a>`

8 `<a href="/dacia/promozioni/promozioni-gamma/dacia-spring/" class="tile-link" ></a>`

9 `<a href="/dacia/promozioni/promozioni-gamma/dacia-jogger/" class="tile-link" ></a>`

10 `<a href="/dacia/promozioni/promozioni-gamma/dacia-bigster/" class="tile-link" ></a>`

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	0	28	0

Code snapshots of failed elements

1 `<a rel="noopener" href="/dacia/gamma/" target="_blank"> gamma Dacia</a>`

2 `<a href="https://www.facebook.com/renordspa" target="_blank" aria-label="Visit Renord S.p.A. profile">Renord S.p.A.</a>`

3 `<a href="https://www.facebook.com/renordspa" target="_blank" aria-label="Visit @renordspa profile" aria-hidden="false" tabindex="0">@renordspa</a>`

4 `<a href="https://www.facebook.com/654763316697348/posts/1121170240056651" target="_blank" aria-hidden="false" tabindex="0" aria-label="Posted on 4 ore fa, click to visit post on Facebook" class="crt-post-date-link">4 ore fa</a>`

5 `<a href="https://www.instagram.com/renord1970/" target="_blank" aria-label="Visit renord1970 profile">renord1970</a>`

6 `<a href="https://www.instagram.com/comunecinisellobalsamo/" target="_blank" rel="noopener">@comunecinisellobalsamo</a>`

7 `<a href="https://www.instagram.com/festivaleducazione/" target="_blank" rel="noopener">@festivaleducazione</a>`

8 `<a href="https://www.instagram.com/explore/tags/festivaleducazione25/" target="_blank" rel="noopener">#festivaleducazione25</a>`

9 `<a href="https://www.instagram.com/explore/tags/renord1970/" target="_blank" rel="noopener">#renord1970</a>`

10 `<a href="https://www.instagram.com/explore/tags/edufest/" target="_blank" rel="noopener">#edufest</a>`

#	Element	Relevant	Successes	Failures	Score
5	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <h1 class="mb-2 text-uppercase text-white dimensioneTitoliSezione font-MonoPro">Le nostre sedi</h1>
```

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	51	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	Yes	0	19	0

Code snapshots of failed elements

1 `<div class="font-MonoPro card-title text-uppercase text-white ">RISPETTO</div>`

2 `<div class="font-MonoPro card-title text-uppercase text-white ">PASSIONE</div>`

3 `<div class="font-MonoPro card-title text-uppercase text-white ">SPIRITO DI SQUADRA</div>`

4 `<div class="font-MonoPro card-title text-uppercase text-white ">INTEGRITÀ</div>`

5 `<span class="heading-2">I punti di forza della variante ibrida</span>`

6 `<span class="heading-2">Una gamma ben articolata</span>`

7 `<span class="heading-2">Barre portatutto girevoli e terza fila di sedili asportabile</span>`

8 `<span class="heading-2">Sulla Qashqai prima, sulla X-Trail dopo</span>`

9 `<span class="heading-2">e-Power: l'ibrido che si guida come un elettrico</span>`

10 `<span class="heading-2">Ma per il Fisco ci sono solo due ibride</span>`

#	Element	Relevant	Successes	Failures	Score
8	Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	16	1	94

Code snapshots of successful elements

```
1 <span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" style="left: -32px;" ></span>
```

```
2 <span class="swiper-pagination-bullet swiper-pagination-bullet-active-prev" tabindex="0" role="button" aria-label="Go to slide 2" style="left: -32px;" ></span>
```

```
3 <span class="swiper-pagination-bullet swiper-pagination-bullet-active swiper-pagination-bullet-active-main" tabindex="0" role="button" aria-label="Go to slide 3" style="left: -32px;" ></span>
```

```
4 <div class="swiper-button-next v-middle" tabindex="0" role="button" aria-label="Next slide" aria-controls="swiper-wrapper-c36a2242dcb103a6" aria-disabled="false" ></div>
```

```
5 <svg width="18" height="15" viewBox="0 0 18 15" fill="none" xmlns="http://www.w3.org/2000/svg"> <path fill-rule="evenodd" clip-rule="evenodd" d="M9.65875 0.821899V13.0736L17.2182 6.94777L9.65875 0.821899Z" fill="curr...
```

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	-	Fail	0

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	-	Fail	0

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "aria-hidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <nav class="navbar navbar-expand-lg flex-row flex-lg-column flex-xl-row mx-3
mx-md-5 mx-lg-6"> <a class="navbar-brand" href="/" > ...
```

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	Yes	8	0	100

Code snapshots of successful elements

1 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nuovo</a>`

2 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Usato</a>`

3 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Ibride ed Elettriche</a>`

4 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Promozioni</a>`

5 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Veicoli Commerciali</a>`

6 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nolegg io</a>`

7 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Assistenza</a>`

8 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Contatti</a>`

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	Yes	8	0	100

Code snapshots of successful elements

1 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nuovo</a>`

2 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Usato</a>`

3 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Ibride ed Elettriche</a>`

4 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Promozioni</a>`

5 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Veicoli Commerciali</a>`

6 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Nolegg io</a>`

7 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Assistenza</a>`

8 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Contatti</a>`

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	33	1	97

Code snapshots of successful elements

- ```

```
- ```

```
- ```

```
- ```

```
- ```

```
- ```

```
- ```

```
- ```

```
- ```

```
- ```

```

Code snapshots of failed elements

1

#	Element	Relevant	Successes	Failures	Score
19	Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a <code>role="presentation"</code> or <code>role="none"</code> attribute.	Yes	64	7	90

Code snapshots of successful elements

```
1 <i class="fas fa-fw fa-phone"></i>
```

```
2 <i class="far fa-map-marker-alt"></i>
```

```
3 <i class="far fa-arrow-right"></i>
```

```
4 <i class="fas fa-angle-double-right"></i>
```

```
5 <i class="far fa-clock" ></i>
```

```
6 <i class="fal fa-arrow-circle-left"></i>
```

```
7 <i class="fal fa-arrow-circle-right"></i>
```

```
8 
```

```
9 
```

```
10 
```

Code snapshots of failed elements

- 1

<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1000 1000" class="crt-i
con-clone" ><path transform="scale(1,-1) translate(0,-850)" d="M929-61v607q0
8-6 13t-12 5h-607q-8 0-13-5t-5-13v-607q0-7 5-12t13-6h607q7 0 12 6t6 12z m71
607v-607q0-37-26-63t-...
- 2

<svg width="18" height="15" viewBox="0 0 18 15" fill="none" xmlns="http://ww
w.w3.org/2000/svg" > <path fill-rule="evenodd" clip-rule="evenodd" d="M9.658
75 0.821899V13.0736L17.2182 6.94777L9.65875 0.821899Z" fill="currentColor" >
</path> <path fill...
- 3

<svg viewBox="0 0 25 25" xmlns="http://www.w3.org/2000/svg" > <path d="M12.5
028 6.09032C8.95566 6.09032 6.09453 8.95208 6.09453 12.5C6.09453 16.0479 8.9
5566 18.9097 12.5028 18.9097C16.0499 18.9097 18.911 16.0479 18.911 12.5C18.9
11 8.95208 16.0499 6...

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	No	0	0	

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	Yes	5	0	100

Code snapshots of successful elements

```
1 <div id="iubenda-cs-banner" style="z-index:99999998 !important;" class="iubenda-cs-default iubenda-cs-top iubenda-cs-slidein iubenda-cs-padded iubenda-cs-visible" role="alertdialog" aria-describedby="iubenda-cs-paragraph" aria-labelledby="iubenda-cs-...
```

```
2 <div class="tab-pane fade class_tab-0" id="tab-0" role="tabpanel" aria-labelledby="0-tab" > </div>
```

```
3 <div class="tab-pane fade class_tab-1 active show" id="tab-1" role="tabpanel" aria-labelledby="1-tab"> <section id="home-promo" class="pt-3 mb-5"> <div class="container"> <div class="text-center pb-4"> ...
```

```
4 <div id="home-promo-submenu" class="dropdown-menu w-100" aria-labelledby="promoLinks" > <h6 class="dropdown-header font-weight-normal" >Promozioni</h6> ...
```

#	Element	Relevant	Successes	Failures	Score
28	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

Code snapshots of successful elements

1

```
<form class="needs-validation formSearchClass" action="/ricerca-auto" id="formSearch"> <div class="row"> <div class="col-lg-3 d-flex align-items-center mb-3 mb-lg-0"> <div class="dropdown bootstrap-select form-cont...
```

#	Element	Relevant	Successes	Failures	Score
30	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
33	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <footer class="d-print-none p-3 p-md-5 pt-5 mb-3 mb-md-4 mb-lg-6"> <div clas
s="footer-info pb-3 pb-md-5"> <div class="container"> <div class="row"> <div
class="col-12 col-md-3 mb-4 mb-md-0"> ...
```

#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	0	18	0

Code snapshots of failed elements

1 `<button type="submit" class="btn btn-primary btnSedi h-100" ><i class="far fa-map-marker-alt"></i>   Sedi</button>`

2 `<i class="far fa-map-marker-alt"></i>`

3 `<div class="swiper-pagination swiper-pagination-clickable swiper-pagination-bullets swiper-pagination-bullets-dynamic" style="width: 160px;" ><span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" style="left: -3...`

4 `<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" style="left: -32px;" ></span>`

5 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active-prev" tabindex="0" role="button" aria-label="Go to slide 2" style="left: -32px;" ></span>`

6 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active swiper-pagination-bullet-active-main" tabindex="0" role="button" aria-label="Go to slide 3" style="left: -32px;" ></span>`

7 `<span class="crt-post-username " style="padding: 0px 10px;" ><a href="https://www.facebook.com/renordspa" target="_blank" aria-label="Visit @renordspa profile" aria-hidden="false" tabindex="0" >@renordspa</a></span>`

8 `<a href="https://www.facebook.com/renordspa" target="_blank" aria-label="Visit @renordspa profile" aria-hidden="false" tabindex="0" >@renordspa</a>`

9 `<a href="https://www.facebook.com/654763316697348/posts/1121170240056651" target="_blank" aria-hidden="false" tabindex="0" aria-label="Posted on 4 ore fa, click to visit post on Facebook" class="crt-post-date-link" >4 ore fa</a>`

10

```
<span class="crt-post-username " style="padding: 0px 10px;" ><a href="https://www.instagram.com/renord1970/" target="_blank" aria-label="Visit @renord1970 profile" aria-hidden="false" tabindex="0" >@renord1970</a></span>
```

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
37	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	174	374	32

Code snapshots of successful elements

1 `<span class="d-none d-lg-inline-block mt-1">02 248801</span>`

2 `<a class="dropdown-toggle ml-md-3" role="button" data-toggle="dropdown" href="#">Azienda</a>`

3 `<button type="submit" class="btn btn-primary btnSedi h-100"><i class="far fa-map-marker-alt"></i>   Sedi</button>`

4 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Nuovo</a>`

5 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Usato</a>`

6 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Ibride ed Elettriche</a>`

7 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Promozioni</a>`

8 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Veicoli Commerciali</a>`

9 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false">Nolegg io</a>`

10 `<a class="nav-link dropdown-toggle dimensioneVociMenu" data-toggle="dropdown" rel="nofollow" href="" aria-haspopup="true" aria-expanded="false" >Assistenza</a>`

Code snapshots of failed elements

1 `<p class="subtitle text-tertiary"> Insieme sulla strada giusta </p>`

2 `<p class="mt-1 mb-0 text-muted"> Scade il <strong>03/06/2025</strong> </p>`

3 `<strong>03/06/2025</strong>`

4 `<p class="mt-1 mb-0 text-muted"> Scade il <strong>12/05/2025</strong> </p>`

5 `<strong>12/05/2025</strong>`

6 `<p class="mt-1 mb-0 text-muted"> Scade il <strong>05/05/2025</strong> </p>`

7 `<strong>05/05/2025</strong>`

8 `<p class="mt-1 mb-0 text-muted"> Scade il <strong>31/05/2025</strong> </p>`

9 `<strong>31/05/2025</strong>`

10 `<h2 class="h1 card-title text-uppercase text-white dimensioneTitoliSezione font-MonoPro">ASSISTENZA</h2>`

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100

Code snapshots of successful elements

1 `<div class="swiper-button-next v-middle" tabindex="0" role="button" aria-label="Next slide" aria-controls="swiper-wrapper-c36a2242dcb103a6" aria-disabled="false" ></div>`

2 `<div class="swiper-button-next d-none" tabindex="0" role="button" aria-label="Next slide" aria-controls="swiper-wrapper-c36a2242dcb103a6" aria-disabled="false" ></div>`

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live" attribute with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	3	0	100

Code snapshots of successful elements

1 `<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" style="left: -32px;" ></span>`

2 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active-prev" tabindex="0" role="button" aria-label="Go to slide 2" style="left: -32px;" ></span>`

3 `<span class="swiper-pagination-bullet swiper-pagination-bullet-active swiper-pagination-bullet-active-main" tabindex="0" role="button" aria-label="Go to slide 3" style="left: -32px;" ></span>`

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a <code>role="presentation"</code> attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <iframe id="_hjSafeContext_57230729" title="_hjSafeContext" tabindex="-1" ar
  ia-hidden="true" src="about:blank" style="display: none !important; width: 1
  px !important; height: 1px !important; opacity: 0 !important; pointer-event
  s: none !important;" ><...
```